

## Material Safety Data Sheet

### 1. MATERIAL AND COMPANY IDENTIFICATION

**Material Name** : Super S Windshield Washer  
Fluid

**Uses** : Windshield washer

**Manufacturer/Supplier** : Smitty's Supply, Inc.  
PO Box 530  
Roseland, LA 70456  
USA

**MSDS Request** : 985-748-9687

**Emergency Telephone Number**

**CHEMTREC** : 800-424-9300 - toll free in the U.S., Canada, and U.S. Virgin Islands.  
703-527-3887 - for calls originating elsewhere.  
(Collect calls accepted)

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Identity	CAS No.	Concentration
Methanol	67-56-1	20.00 - 40.00 %
Bitrex 3734	-33-6	< 1.00 %

A mixture of water, alcohols and additives. Ammonium hydroxide. Tripropylene glycol monoethyl ether.

### 3. HAZARDS IDENTIFICATION

Emergency Overview	
<b>Appearance and Odour</b>	: Orange. Liquid. Alcohol-like.
<b>Health Hazards</b>	: Harmful in contact with skin. Harmful if swallowed. Harmful by inhalation.
<b>Environmental Hazards</b>	: Not classified as dangerous for the environment.

**Health Hazards**

**Inhalation** : Harmful: possible risk of irreversible effects through inhalation.  
**Skin Contact** : Harmful: possible risk of irreversible effects in contact with skin.  
**Eye Contact** : No specific hazards under normal use conditions.  
**Ingestion** : Harmful: possible risk of irreversible effects in contact with skin and if swallowed.

**Other Information** : Possibility of organ or organ system damage from prolonged exposure; see Chapter 11 for details. Target organ(s): Central nervous system (CNS). Visual system.

**Signs and Symptoms** : Intentional abuse or misuse may cause organ damage or death.  
Acute methanol toxicity may progress as follows: drowsiness or fatigue, and mild irritation of the eyes and mucous membranes; this may be followed (in about 18 to 24 hours and in some cases up to 72 hours) by more severe central nervous system

## Material Safety Data Sheet

	(CNS) effects and visual disturbances including diminished eyesight or blindness, metabolic acidosis (metabolism to formic acid) and deep respirations.
<b>Aggravated Medical Condition</b>	: Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Eyes. Visual system. Central nervous system (CNS).
<b>Environmental Hazards</b>	: No specific hazards under normal use conditions.
<b>Additional Information</b>	: Under normal conditions of use or in a foreseeable emergency, this product meets the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

---

### 4. FIRST AID MEASURES

<b>General Information</b>	: Keep victim calm. Obtain medical treatment immediately.
<b>Inhalation</b>	: Remove to fresh air. If rapid recovery does not occur, transport to nearest medical facility for additional treatment. Inhalation of vapours requires immediate medical attention.
<b>Skin Contact</b>	: If persistent irritation occurs, obtain medical attention. Remove contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow by washing with soap and water if available. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment.
<b>Eye Contact</b>	: Flush eye with copious quantities of water.
<b>Ingestion</b>	: DO NOT DELAY. If swallowed, do not induce vomiting; transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
<b>Advice to Physician</b>	: Consult a Poison Control Centre for guidance. IMMEDIATE TREATMENT IS EXTREMELY IMPORTANT!

---

### 5. FIRE FIGHTING MEASURES

<b>Flash point</b>	: Typical 23 °C / 73 °F (Setaflash Closed Cup)
<b>Specific Hazards</b>	: This product is a mixture of water and a water miscible alcohol, and does not present a significant flammability hazard when used by consumers.
<b>Suitable Extinguishing Media</b>	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
<b>Unsuitable Extinguishing Media</b>	: Do not use water in a jet.
<b>Protective Equipment for Firefighters</b>	: Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space.

---

### 6. ACCIDENTAL RELEASE MEASURES

Ventilate contaminated area thoroughly.

<b>Protective measures</b>	: Not applicable. No specific measures.
<b>Clean Up Methods</b>	: Not applicable.

**Material Safety Data Sheet**

**Additional Advice** : Observe all relevant local and international regulations.

**7. HANDLING AND STORAGE**

**Handling** : Use only in well-ventilated areas.  
**Storage** : No special storage requirements.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

Material	Source	Type	ppm	mg/m3	Notation
Methanol	ACGIH	TWA	200 ppm		
Methanol	ACGIH	STEL	250 ppm		
Methanol	ACGIH	SKIN_DES			Can be absorbed through the skin.
Methanol	OSHA Z1	PEL	200 ppm	260 mg/m3	
Methanol	OSHA Z1A	TWA	200 ppm	260 mg/m3	
Methanol	OSHA Z1A	STEL	250 ppm	325 mg/m3	
Methanol	OSHA Z1A	SKIN_FINAL			Can be absorbed through the skin.

**Additional Information** : Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

**Exposure Controls** : Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

**Personal Protective Equipment** : Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

**Respiratory Protection** : Check with respiratory protective equipment suppliers.

**Hand Protection** : PVC, neoprene or nitrile rubber gloves.

**Eye Protection** : Safety spectacles (safety glasses).

**Environmental Exposure Controls** : Use only in well-ventilated areas.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Orange. Liquid.  
 Odour : Alcohol-like.  
 pH : 7.5 - 8.1  
 Initial Boiling Point and Boiling Range : 68°C / 154 °F  
 Flash point : Typical 23 °C / 73 °F (Setaflash Closed Cup)  
 Specific gravity : 0.95  
 Water solubility : Soluble.  
 Volatile organic carbon content : 35%

## Material Safety Data Sheet

---

### 10. STABILITY AND REACTIVITY

<b>Stability</b>	: Stable under normal conditions of use.
<b>Conditions to Avoid</b>	: Not applicable.
<b>Materials to Avoid</b>	: Not applicable.
<b>Hazardous Decomposition Products</b>	: None expected under normal use conditions.
<b>Hazardous Polymerisation</b>	: No
<b>Sensitivity to Mechanical Impact</b>	: No

---

### 11. TOXICOLOGICAL INFORMATION

<b>Basis for Assessment</b>	: Information given is based on data from components.
<b>Acute Oral Toxicity</b>	: May be harmful if swallowed. LD50 > 2000 - <= 5000 mg/kg , Rat Note: There is a marked difference in acute oral toxicity between animals and man, man being more susceptible than animals. The estimated fatal dose for man is 100 millilitres.
<b>Acute Dermal Toxicity</b>	: May be harmful in contact with skin. LD50 > 2000 - <= 5000 mg/kg , Rabbit
<b>Acute Inhalation Toxicity</b>	: May be harmful if inhaled. Rat
<b>Skin Irritation</b>	: Expected to be slightly irritating.
<b>Eye Irritation</b>	: Expected to be slightly irritating.
<b>Respiratory Irritation</b>	: Not expected to be a respiratory irritant.
<b>Sensitisation</b>	: Not a skin sensitiser.
<b>Repeated Dose Toxicity</b>	: Visual system: may cause marked impairment of vision or blindness.
<b>Mutagenicity</b>	: No evidence of mutagenic activity.
<b>Carcinogenicity</b>	: Not a carcinogen.
<b>Reproductive and Developmental Toxicity</b>	: Causes adverse effects on the foetus based on animal studies. Does not impair fertility.

---

### 12. ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products.

<b>Mobility</b>	: Disperses in water.
<b>Persistence/degradability</b>	: Data not available
<b>Bioaccumulation</b>	: Data not available
<b>Other Adverse Effects</b>	: Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.

---

### 13. DISPOSAL CONSIDERATIONS

<b>Material Disposal</b>	: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical
--------------------------	--

## Material Safety Data Sheet

properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.

**Container Disposal** : Dispose in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

**Local Legislation** : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

---

### 14. TRANSPORT INFORMATION

Emergency Response Guide No. 127

Additional Information US Department of Transportation Classification (49CFR):  
Proper Shipping Name - Consumer Commodity, Class/Division - ORM-D.

#### IMDG

Identification number UN 1992  
Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.  
Technical name (Methanol)  
Class / Division 3  
Subsidiary class/Division 6.1  
Packing group III  
Marine pollutant: No

#### IATA (Country variations may apply)

Identification number ID 8000  
Proper shipping name Consumer Commodity  
Class / Division 9

---

### 15. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### Federal Regulatory Status

##### Notification Status

EINECS All components listed or polymer exempt.  
TSCA All components listed.  
DSL Not established.

#### Comprehensive Environmental Release, Compensation & Liability Act (CERCLA)

Super S Windshield  
Washer Fluid ( )

Reportable quantity: 14286 lbs

**Material Safety Data Sheet**

Methanol (67-56-1)

Reportable quantity: 5000 lbs

**SARA Hazard Categories (311/312)**

Immediate (Acute) Health Hazard. Delayed (Chronic) Health Hazard. Fire Hazard.

**SARA Toxic Release Inventory (TRI) (313)**

Methanol (67-56-1) 35.00%

**State Regulatory Status**

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

This material does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**New Jersey Right-To-Know Chemical List**

Methanol (67-56-1)

Listed.

**Pennsylvania Right-To-Know Chemical List**

Methanol (67-56-1)

Environmental hazard.  
Listed.

---

**16. OTHER INFORMATION**

**NFPA Rating (Health, Fire, Reactivity)** : 1, 2, 0

**MSDS Version Number** : 2.0

**MSDS Effective Date** : 07/06/2009

**MSDS Revisions** : A vertical bar (|) in the left margin indicates an amendment from the previous version.

**MSDS Regulation** : The content and format of this MSDS is in accordance with the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**MSDS Distribution** : The information in this document should be made available to all who may handle the product.

**Disclaimer** : The information contained herein is based on our current knowledge of the underlying data and is intended to describe the product for the purpose of health, safety and environmental requirements only. No warranty or guarantee is expressed or

**Super S Windshield Washer  
Fluid**

MSDS# 652116S

Version 2.0

Effective Date 07/06/2009

According to OSHA Hazard Communication Standard, 29 CFR  
1910.1200

**Material Safety Data Sheet**

implied regarding the accuracy of these data or the results to  
be obtained from the use of the product.