

Super S® Multi-Vehicle Synthetic Blend ATF



TECHNICAL PRODUCT INFORMATION

Super S Multi-Vehicle Synthetic Blend ATF

Super S Multi-Vehicle ATF is a special blend of high quality synthetic and mineral base stocks with an advanced additive system designed to meet the requirements of a broad range of automatic and power shift transmissions. It is recommended to give trouble-free performance in most American-made and many foreign-made vehicles.

FEATURES/ BENEFITS

Multi-Vehicle Synthetic Blend ATF:

- Meets or exceeds the highest quality standards in the industry.
- Insures a high-performance, smooth driving experience.
- Provides excellent thermal stability and all temperature protection.
- Provides enhanced anti-wear protection.
- Demonstrates excellent compatibility with seal materials to prevent transmission leaks.
- Provides enhanced anti-wear and oxidation properties, thermal stability and corrosion resistance to maintain year-round protection of transmission components.
- Has carefully balanced friction modifiers that protect against shudder and provide smooth lockup.
- Demonstrates excellent retention of friction modifiers for long life performance.

Multi-Vehicle Synthetic Blend ATF eliminates the need to stock ATF supplements.

APPLICATIONS

Multi-Vehicle Synthetic Blend ATF may be used in passenger car manual and automatic transmissions, trucks and buses, off-highway construction/mining equipment, agricultural equipment, mobile hydraulic systems, industrial machinery, and power steering systems which were serviced by:

- GM's DEXRON®, DEXRON® II, DEXRON® IIE, DEXRON® III (H)
- Type A and Type A Suffix
- Ford MERCON® and MERCON® V
- Chrysler Automatic Transmissions - ATF® +3 and ATF +4
- Allison C-4
- Caterpillar TO-2

It is not suitable in a few pre 1986 vehicles where Type F fluids are specified, where GM DEXRON® VI is specified, or some recent vehicles equipped with continuous variable transmissions (CVT's).

RECOMMENDATIONS/SPECIFICATIONS

Super S Multi-Vehicle Synthetic Blend ATF is recommended for the following vehicles:

Original Equipment Manufacturer	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Acura	All	1982-2007	DEXRON® II, Honda ATF-Z1	DEXRON® VI
Alfa Romeo	All	1982-2007	DEXRON® II	DEXRON® VI
AM General	Hummer	All	DEXRON® III	DEXRON® VI
AMC/Renault	Alliance 1983-97, Encore 1983-86, GTA 1987		DEXRON® II, MERCON®	DEXRON® VI
Audi	All except: 2003TT w/ 6 speed automatic and models w/ CVT transmissions	1982 - 2007	DEXRON® II, Esso LT 71141	052 180 (A2), (CVT), Part No. G 052 025 A2)
BMW	All except: 2001-04 models w/ GA6HP10Z, GA6HP26Z 6-Speed Automatic: 2003 7451	1982-2007	DEXRON® II, III, Esso LT 71141, Shell LA2634 Texaco ETL 7045E, 8072B	DEXRON® VI, Shell ATF M-1375-4 (Part No. 83220142516)

TECHNICAL PRODUCT INFORMATION

Super S Multi-Vehicle Synthetic Blend ATF

Buick	All	1982-2007	DEXRON® III	DEXRON® VI
Cadillac	All	1982-2007	DEXRON® III	DEXRON® VI
Chevrolet/Geo/GMC Trucks	All	1982-2007	DEXRON® II, III, AC Delco T-VI	DEXRON® VI
Chrysler/Dodge/Plymouth	All	1982-2007	Mopar ATF-Plus, ATF +3, ATF +4, Shell ATF 3403 M115	
Daewo	All	1999-2002	DEXRON® III	DEXRON® VI
Eagle	All	1982-2004	Diamond SP-III ATF, Mopar ATF-Plus, ATF +3, ATF +4	
Ford/Lincoln/Mercury	All	1982-2007	MERCON®, MERCON® V	ATF TYPE F, MERCON® SP
Ford Trucks	All Except: 1998-05 models w/ 5R110W; 1997-05 models w/ zf 6hp26	1982-2007	MERCON®, MERCON® V	ATF TYPE F, MERCON® SP
Honda	All except: models w/CVT transmissions	1982-2007	DEXRON® II, Honda ATF-Z1	DEXRON® VI, Genuine Honda CVT Fluid
Hyundai	All	1982-2007	Hyundai SP-II, SP-III ATF, Mopar ATF-Plus	DEXRON® VI
Infiniti	All except: 2002-03 Q45; 2003 G35, 2004 FX35, FX45, QX56	1982-2007	DEXRON® III, Nissan Matic D	DEXRON® VI, Nissan Matic J ATF
Isuzu	All	1982-2007	DEXRON® II, III, Isuzu Genuine ATF	DEXRON® VI
Jaguar	See product recommendations	1993-2007	DEXRON® II, III , Esso LT71141, Mercon® V, Shell ATF 3403 M115	ATF Type F, Shell ATF M-1375-4
Jeep	All	1982-2007	Dexron® II, Mercon®, Mopar ATF-Plus, ATF +3, ATF +4, Shell ATF 3403 M115	
Kia	All	1982-2007	DEXRON® II, III, Kia ATF SP-III	DEXRON® VI
Land Rover	All except: 2002-05 Freelander, 2005 LR3	All	DEXRON® II, III, Esso LT 71141	DEXRON® VI, Shell ATF M-1375-4, Texaco N402
Lexus	All except: 2004-05 LS430, LX 470, GX 470	1982-2007	DEXRON® III, ATF Type T, ATF Type T-IV	DEXRON® VI, ATF Type WS (Part No. JWS3324)
Mazda	All except: 2003 Mazda 6, models requiring Type F	1982-2007	DEXRON® II, III, MERCON®, MERCON® V	DEXRON® VI, ATF M-V
Mercedes-Benz	5-speed automatic 1996-1999, All others 1982-2004		DEXRON® II, III, Shell ATF 3403 M115	DEXRON® VI
Mini	None	2002-2007	None	Esso CVT EZL 799
Mitsubishi	All	1982-2007	DEXRON® II, Diamond SP, SP-II, SP-III, Mitsubishi Plus ATF	DEXRON® VI
Nissan	All except: 2003-05 Murano w/CVT, 2003-05 350Z, 2004-05 Pathfinder & Titan, 2005 Pathfinder, Armada & Xterra	1982-2007	DEXRON® II, III, Nissan Matic D ATF, Nissan Matic K ATF	DEXRON® VI, Nissan CVT Fluid NS-2, Nissan Matic J ATF
Oldsmobile	All	1982-2007	DEXRON® III	DEXRON® VI
Pontiac	All	1982-2007	DEXRON® II, III, ATF Type T-IV	DEXRON® VI
Porsche	All	1982-2007	DEXRON® II, III, Esso LT 71141, Shell ATF 3403 M 115, ATF Type T-IV	DEXRON® VI
SAAB	All except: 2005 9-3 w/ 6-speed automatic, models requiring Type F	1982-2007	DEXRON® II, III, SAAB 3309	DEXRON® VI, ATF Type F, SAAB 93 165 147
Saturn	All except : Models w/CVT Transmissions	1991-2007	DEXRON® III, Honda ATF-Z1, Saturn T-IV	DEXRON® VI, Dex-CVT Fluid (part # 22688912)

TECHNICAL PRODUCT INFORMATION

Super S Multi-Vehicle Synthetic Blend ATF

Scion	All	2004-2007	ATF Type T-IV	DEXRON® VI
Sterling	All	1987-1991	DEXRON® II	
Subaru	All Except: Models w/CVT Transmissions	1982-2007	DEXRON® III	DEXRON® VI
Suzuki	All	1982-2007	DEXRON® III, Esso LT 71141	DEXRON® VI
Toyota	All except: 2004 4 Runner w/5-speed automatic, 2004 Land Cruiser, 2004-05 Prius, Models requiring Type F	1982-2007	ATF Type T, ATF Type T-IV, DEXRON® II, III	DEXRON® VI, Type WS (Part # JWS3324 or NWS9638)
Volkswagen	All except: 2001-03 Golf & Jetta w/09A 5-speed Automatic	1982-2007	DEXRON® II, Esso LT 71141, ATF Type T-IV	DEXRON® VI, Part # G 052 990 (A2)
Volvo	All except: 1999-05 XC90 w/ AW50AWD, Models Requiring Type F	1982-2007	DEXRON® II, III, ATF Type T-IV	DEXRON® VI

The information contained in this chart is based on available information and is accurate to the best of our knowledge. As always, you should consult your owner's guide to verify the proper fluid recommendation for your particular vehicle. Super S is not responsible for any errors, omissions or typographical errors.

SPECIAL HANDLING, NOTICES OR WARNINGS

Use the same care and handling as for any petroleum product.

TYPICAL CHARACTERISTICS

Multi-Vehicle Synthetic Blend ATF		
Properties	Test Method ASTM D-	Typical Results
API Gravity	1298	32
Appearance	Visual	Red
Flash Point, COC° F	92	400
Pour Point, °F	97	-30
Viscosity	445	
cSt @ 40°C		36.0
cSt @ 100°C		7.55
VI	2270	185
Brookfield Viscosity @ -40°C	2983	15,000

Typical test data are average values only.

Minor variations which do not affect product performance are to be expected during normal manufacturing.

PRODUCT NUMBERS

SUS 226-12	12/ 1 quart
SUS 226	55 gallon drum
SUS 226 BULK	Bulk